

# MSU Codec Comparison 2017

*Part V: High Quality Encoders*



**Graphics & Media Lab  
Video Group**

---

Video group head Dr. Dmitriy Vatolin

Project head Dr. Dmitriy Kulikov

Measurements & analysis Dr. Mikhail Erofeev,  
Stanislav Dolganov,  
Sergey Zvezdakov

## Codecs:

### H.265

- Kingsoft HEVC Encoder
- nj265
- x265

### Non H.265

- AV1
- nj264
- uAVS2
- VP9 Video Codec
- x264

CS MSU Graphics & Media Lab, Video Group  
January 17, 2018

[http://www.compression.ru/video/codec\\_comparison/index\\_en.html](http://www.compression.ru/video/codec_comparison/index_en.html)  
[videocodec-testing@graphics.cs.msu.ru](mailto:videocodec-testing@graphics.cs.msu.ru)

## Contents

---

<b>1</b>	<b>Acknowledgments</b>	<b>4</b>
<b>2</b>	<b>Overview</b>	<b>5</b>
2.1	Sequences . . . . .	5
2.2	Codecs . . . . .	6
<b>3</b>	<b>Objectives and Testing Rules</b>	<b>7</b>
<b>4</b>	<b>RD Curves</b>	<b>8</b>
<b>5</b>	<b>Encoding Speed</b>	<b>10</b>
<b>6</b>	<b>Bitrate Handling</b>	<b>12</b>
<b>7</b>	<b>Speed/Quality Trade-off</b>	<b>14</b>
<b>8</b>	<b>Relative Quality Analysis</b>	<b>17</b>
<b>9</b>	<b>Conclusion</b>	<b>19</b>
<b>A</b>	<b>Sequences</b>	<b>20</b>
A.1	Animation . . . . .	20
A.2	Apple Tree . . . . .	21
A.3	Behind Expedition . . . . .	22
A.4	Cemetery . . . . .	23
A.5	Christmas Cats . . . . .	24
A.6	Chronicle . . . . .	25
A.7	City Crowd . . . . .	26
A.8	Coffee Beans . . . . .	27
A.9	Color Tune . . . . .	28
A.10	Crowd Run . . . . .	29
A.11	Disneyland . . . . .	30
A.12	Fire . . . . .	31
A.13	Forest Dog . . . . .	32
A.14	Fountain . . . . .	33
A.15	Gilmour . . . . .	34
A.16	Housing Group . . . . .	35
A.17	Infinif . . . . .	36
A.18	Innershaq . . . . .	37
A.19	Italian History . . . . .	38
A.20	Mountain Bike . . . . .	39
A.21	Real Voters . . . . .	40
A.22	Road Runner . . . . .	41

A.23 Roseman Bridge . . . . .	42
A.24 Sea Lions . . . . .	43
A.25 Shakewalk . . . . .	44
A.26 Sita . . . . .	45
A.27 Skiers . . . . .	46
A.28 Steadicam . . . . .	47
A.29 Twin Strangers . . . . .	48
A.30 Wedding . . . . .	49
A.31 Ziguinchor . . . . .	50
<b>B Sequences selection</b>	<b>51</b>
B.1 Dataset for High-Quality Encoders . . . . .	55
<b>C Codecs</b>	<b>56</b>
C.1 AV1 . . . . .	56
C.2 Kingsoft HEVC Encoder . . . . .	56
C.3 nj264 . . . . .	57
C.4 nj265 . . . . .	57
C.5 uAVS2 . . . . .	57
C.6 VP9 Video Codec . . . . .	58
C.7 x264 . . . . .	58
C.8 x265 . . . . .	59
<b>D Figures Explanation</b>	<b>60</b>
D.1 RD Curves . . . . .	60
D.2 Relative Bitrate/Relative Time Charts . . . . .	60
D.3 Graph Example . . . . .	60
D.4 Bitrates Ratio with the Same Quality . . . . .	60
D.5 Relative Quality Analysis . . . . .	62
<b>E Objective Quality Metrics Description</b>	<b>64</b>
E.1 SSIM (Structural SIMilarity) . . . . .	64
E.1.1 Brief Description . . . . .	64
E.1.2 Examples . . . . .	65
<b>F About the Graphics &amp; Media Lab Video Group</b>	<b>68</b>

## 1. ACKNOWLEDGMENTS

---

The Graphics & Media Lab Video Group would like to express its gratitude to the following companies for providing the codecs and settings used in this report:

- SIF developer team
- AVS2 developer team
- Nanjing Yunyan
- Kingsoft

The Video Group would also like to thank these companies for their help and technical support during the tests.

## 2. OVERVIEW

---

### 2.1. Sequences

	Sequence	Number of frames	Frame rate	Resolution
1.	Animation	833	24	1920×1080
2.	Apple Tree	338	30	1920×1080
3.	Behind Expedition	1047	30	1920×1080
4.	Cemetry	999	25	1920×1080
5.	Christmas Cats	1500	25	1920×1080
6.	Chronicle	1113	30	1920×1080
7.	City Crowd	763	30	1920×1080
8.	Coffee Beans	1005	24	1920×1080
9.	Color Tune	1049	25	1920×1080
10.	Crowd Run	500	50	1920×1080
11.	Disneyland	317	24	1920×1080
12.	Fire	601	25	1920×1080
13.	Forest Dog	976	25	1920×1080
14.	Fountain	516	25	1920×1080
15.	Gilmour	957	30	1920×1080
16.	Housing Group	1007	24	1920×1080
17.	Infinit	258	25	1920×1080
18.	Innershaq	1569	24	1920×1080
19.	Italian History	989	24	1920×1080
20.	Mountain Bike	1063	24	1920×1080
21.	Real Voters	997	24	1920×1080
22.	Road Runner	999	24	1920×1080
23.	Roseman Bridge	2549	30	1920×1080
24.	Sea Lions	1293	24	1920×1080
25.	Shakewalk	805	25	1920×1080
26.	Sita	1000	25	1920×1080
27.	Skiers	1370	60	1920×1080
28.	Stedicam	979	24	1920×1080

29.	Twin Strangers	1026	25	1920×1080
30.	Wedding	948	24	1920×1080
31.	Ziguinchor	994	25	1920×1080

**Table 1:** Summary of video sequences

Brief descriptions of the sequences used in our comparison are given in Table 1. More detailed descriptions of these sequences can be found in Appendix A.

## 2.2. Codecs

Codec	Developer	Version
AV1	AOMedia	0.1.0 (Rev. c8b38b0bfd36)
Kingssoft HEVC Encoder	Kingssoft	Kingssoft Encoder V2.3.3.1
nj264	Nanjing Yunyan	1.0
nj265	Nanjing Yunyan	1.0
uAVS2	AVS2 Encoder Team	RD 12.0 encoder
VP9 Video Codec	The WebM Project	v1.6.1-433-g6af42f5
x264	x264 Developer Team	r2833 df79067
x265	MulticoreWare, Inc.	1.9+169-e5b5bdc3c154

**Table 2:** Short codecs' descriptions

Brief descriptions of the codecs used in our comparison are given in Table 2. x264 was used as a good quality AVC reference codec for comparison purposes. Detailed descriptions of all codecs used in our comparison can be found in Appendix C.

### 3. OBJECTIVES AND TESTING RULES

---

In this report we compare encoding quality of recently emerged HEVC encoders and encoders of other standards using objective assessment methods. 31 video sequences with 1080p resolution were used to evaluate performance of codecs under comparison. To choose these sequences we analyzed 512,000 video sequences and selected representative set (the detailed description of selection process is given in Appendix B).

Our comparison consists of three parts corresponding to various encoders' use cases: Fast encoding, Universal encoding, Ripping encoding. For each use case encoder developers had an option to provide encoding parameters to be used in our tests. If no parameters were provided, we either used the same parameters as were used in prior study or, if no prior parameters were available, did our best effort to choose good parameters ourselves. Nevertheless, the chosen parameters had to satisfy minimum speed requirements of the use case:

- Ripping encoding—1FPS; for Ripping use case an extra requirement was imposed: encoder with selected parameters had to outperform x264 with “versyslow” preset according to SSIM quality scores.

Computer with the following configuration was used to run codecs under comparison: Core i7 6700K (Skylake) @ 4Ghz, RAM 8 GB, Windows 8.1. For objective quality measurements we used YUV-SSIM quality metric (see Appendix E.1).

## 4. RD CURVES

Next figures show RD curves for video sequences.

AV1 shows the best encoding quality absolutely at all the test sequences. Second place is for VP9 encoder (if we use basis Ripping presets from MSU) on average. KingSoft encoder takes second place at CrowdRun sequence. If we use high-quality x265 presets (2- and 3-pass Placebo presets) the situation slightly changes: x265 3-pass Placebo preset is marginally better than VP9 (on average), x265 2-pass Placebo preset shows almost the equal quality to VP9 (on some sequences it outperforms VP9, in some VP9 is better than x265 2-pass Placebo).




Figure 1: Bitrate/quality—use case “Ripping Encoding,” Crowd Run sequence, YUV-SSIM metric.






Figure 2: Bitrate/quality—use case “Ripping Encoding,” *Infnit* sequence, YUV-SSIM metric.

## 5. ENCODING SPEED

Figures below show difference in encoding speed among participating codecs. AVS2 encoder shows better encoding speed comparing to other encoders. AV1 encoder has extremely low speed – 2500-3000 times lower than competitors. X265 Placebo presets (2 and 3 passes) have 10-15 times lower speed than the competitors.




Figure 3: Encoding speed—use case “Ripping Encoding,” *Crowd Run* sequence.




Figure 4: Encoding speed—use case “Ripping Encoding,” *Infnit* sequence.

## 6. BITRATE HANDLING

The plots below show how accurately encoded stream’s real bitrate matches bitrate requested by a user.

AV1 and VP9 encoders have strong bitrate handling issues: e.g., at Coffee Beans sequence AV1 overshoots target bitrate at 25%, and VP9 encodes video at 77% of target bitrate; in Disneyland sequence both VP9 and AV1 reduce target bitrate. Other encoders have some issues also: e.g. in SeaLions sequence AVS2 overshoot target bitrate up to 2.5 times; in Infinit sequence many of encoders show strong bitrates rate (real/target bitrate ratio) fluctuations.




Figure 5: Bitrate handling—use case “Ripping Encoding,” *Crowd Run* sequence.




Figure 6: Bitrate handling—use case “Ripping Encoding,” *Infinet* sequence.

## 7. SPEED/QUALITY TRADE-OFF

Detailed descriptions of the speed/quality trade-off graphs can be found in Appendix D. Sometimes, codec results are not present in the particular graph due to the codec’s extremely poor performance (i.e. the codec’s RD curve has no intersection with the reference’s RD curve). The speed/quality trade-off graphs show both relative quality and speed scores of encoders under comparison. Since x264 was chosen as a reference codec in our comparison, we normalized all scores using x264 scores.

On average Pareto optimal presets (“Pareto optimal” encoder/preset means there is no encoder faster and better than it in this test.) are: AVS2, x265 (all presets), VP9 and AV1. But there are some differences depending on test sequences: at CrowdRun sequence there are only two Pareto optimal encoders: AVS2 and nj265, at Infint sequence – x264 is also among the Pareto-optimal presets.




Figure 7: Speed/quality trade-off—use case “Ripping Encoding,” “High-quality encoders” dataset (7 sequences), YUV-SSIM metric.




Figure 8: Speed/quality trade-off—use case “Ripping Encoding,” “High-quality encoders” dataset (7 sequences), YUV-SSIM metric, without AV1.




Figure 9: Speed/quality trade-off—use case “Ripping Encoding,” “High-quality encoders” dataset (7 sequences), YUV-SSIM metric, without: AV1, x265 (Placebo (2 pass)), x265 (Placebo (3 pass)).




Figure 10: Speed/quality trade-off—use case “Ripping Encoding,” *Crowd Run* sequence, YUV-SSIM metric.




Figure 11: Speed/quality trade-off—use case “Ripping Encoding,” *Infnit* sequence, YUV-SSIM metric.



## 8. RELATIVE QUALITY ANALYSIS

	AV1	uAVS2	Kingsoft HEVC Encoder	nj264	nj265	VP9 Video Codec	x264 (Ripping Encoding)	x264 (Veryslow (2 pass))	x265 (Ripping Encoding)	x265 (Veryslow (2 pass))	x265 (Placebo (2 pass))	x265 (Placebo (3 pass))
AV1	100.0% ☹️	63.0% ☹️	71.0% ☹️	50.0% ☹️	65.0% ☹️	81.0% ☹️	58.0% ☹️	59.0% ☹️	76.0% ☹️	81.0% ☹️	82.0% ☹️	84.0% ☹️
uAVS2	170.0% ☹️	100.0% ☹️	120.0% ☹️	83.0% ☹️	111.0% ☹️	136.0% ☹️	96.0% ☹️	97.0% ☹️	127.0% ☹️	136.0% ☹️	138.0% ☹️	140.0% ☹️
Kingsoft HEVC Encoder	145.0% ☹️	89.0% ☹️	100.0% ☹️	69.0% ☹️	91.0% ☹️	117.0% ☹️	81.0% ☹️	82.0% ☹️	108.0% ☹️	116.0% ☹️	118.0% ☹️	120.0% ☹️
nj264	229.0% ☹️	130.0% ☹️	152.0% ☹️	100.0% ☹️	138.0% ☹️	176.0% ☹️	118.0% ☹️	121.0% ☹️	165.0% ☹️	179.0% ☹️	182.0% ☹️	185.0% ☹️
nj265	166.0% ☹️	99.0% ☹️	110.0% ☹️	74.0% ☹️	100.0% ☹️	130.0% ☹️	87.0% ☹️	89.0% ☹️	120.0% ☹️	129.0% ☹️	132.0% ☹️	134.0% ☹️
VP9 Video Codec	125.0% ☹️	76.0% ☹️	88.0% ☹️	61.0% ☹️	80.0% ☹️	100.0% ☹️	71.0% ☹️	71.0% ☹️	94.0% ☹️	101.0% ☹️	102.0% ☹️	104.0% ☹️
x264 (Ripping Encoding)	180.0% ☹️	109.0% ☹️	125.0% ☹️	90.0% ☹️	117.0% ☹️	146.0% ☹️	100.0% ☹️	101.0% ☹️	134.0% ☹️	143.0% ☹️	146.0% ☹️	148.0% ☹️
x264 (Veryslow (2 pass))	178.0% ☹️	107.0% ☹️	124.0% ☹️	88.0% ☹️	116.0% ☹️	144.0% ☹️	99.0% ☹️	100.0% ☹️	133.0% ☹️	142.0% ☹️	144.0% ☹️	147.0% ☹️
x265 (Ripping Encoding)	133.0% ☹️	82.0% ☹️	94.0% ☹️	65.0% ☹️	86.0% ☹️	108.0% ☹️	75.0% ☹️	76.0% ☹️	100.0% ☹️	107.0% ☹️	109.0% ☹️	111.0% ☹️
x265 (Veryslow (2 pass))	125.0% ☹️	78.0% ☹️	88.0% ☹️	63.0% ☹️	82.0% ☹️	103.0% ☹️	71.0% ☹️	72.0% ☹️	94.0% ☹️	100.0% ☹️	102.0% ☹️	103.0% ☹️
x265 (Placebo (2 pass))	123.0% ☹️	77.0% ☹️	87.0% ☹️	62.0% ☹️	80.0% ☹️	101.0% ☹️	70.0% ☹️	71.0% ☹️	93.0% ☹️	98.0% ☹️	100.0% ☹️	102.0% ☹️
x265 (Placebo (3 pass))	120.0% ☹️	76.0% ☹️	85.0% ☹️	61.0% ☹️	79.0% ☹️	99.0% ☹️	69.0% ☹️	70.0% ☹️	91.0% ☹️	97.0% ☹️	98.0% ☹️	100.0% ☹️

Confidence

0% 50% 100%

**Table 3:** Average bitrate ratio for a fixed quality—use case “Ripping Encoding,” “High-quality encoders” dataset (7 sequences), YUV-SSIM metric.




Figure 12: Average bitrate ratio for a fixed quality—use case “Ripping Encoding,” “High-quality encoders” dataset (7 sequences), YUV-SSIM metric.

## 9. CONCLUSION

According to quality (ONLY) scores, the codecs can be ranked in the following way:

1. AV1
2. VP9 and x265 presets (2 and 3 passes Placebo and 2-passes VerySlow presets)
3. KingSoft HEVC encoder

AV1 has extremely high encoding quality inapproachable to other encoders and extremely low encoding speed due to lack of speed optimization.

VP9 has good quality/speed balance and high-quality encoding.

X265 has very flexible set of parameters for different quality/speed tradeoff.




Figure 13: Average bitrate ratio for a fixed quality—use case “Ripping Encoding,” all sequences, YUV-SSIM metric.

\* This scores are calculated for 7 sequences at “High-quality encoders” dataset (Section B.1)

## A. SEQUENCES

---

### A.1. Animation

Sequence title	Animation
Resolution	1920×1080
Number of frames	833
Color space	YV12
Frames per second	24
Source	<a href="https://vimeo.com/173789876">https://vimeo.com/173789876</a>
Source resolution	FullHD
Bitrate	131.76

The video illustrates steps of computer graphics creation process.



Figure 14: Animation sequence, frame 216

## A.2. Apple Tree

Sequence title	Apple Tree
Resolution	1920×1080
Number of frames	338
Color space	YV12
Frames per second	30
Source resolution	FullHD
Bitrate	746.496

Camera zooms out from an apple tree with an average speed.



Figure 15: Apple Tree sequence, frame 30

### A.3. Behind Expedition

Sequence title	Behind Expedition
Resolution	1920×1080
Number of frames	1047
Color space	YV12
Frames per second	30
Source	<a href="https://vimeo.com/204404590">https://vimeo.com/204404590</a>
Source resolution	FullHD
Bitrate	148.727

Shipyards with view of large ships. Some scenes contain text overlaid by means of computer graphics.



Figure 16: Behind Expedition sequence, frame 25

#### A.4. Cemetery

Sequence title	Cemetery
Resolution	1920×1080
Number of frames	999
Color space	YV12
Frames per second	25
Source	<a href="https://vimeo.com/204151442">https://vimeo.com/204151442</a>
Source resolution	4K
Bitrate	112.49

A series of person close-up shots. The camera zooms out slowly in the end of the video.



Figure 17: Cemetery sequence, frame 25

## A.5. Christmas Cats

Sequence title	Christmas Cats
Resolution	1920×1080
Number of frames	1500
Color space	YV12
Frames per second	25
Source	<a href="https://vimeo.com/192252473">https://vimeo.com/192252473</a>
Source resolution	FullHD
Bitrate	191.087

Concert record with superimposed complicated translucent CG effects.



Figure 18: Christmas Cats sequence, frame 25



## A.6. Chronicle

Sequence title	Chronicle
Resolution	1920×1080
Number of frames	1113
Color space	YV12
Frames per second	30
Source	<a href="https://vimeo.com/123145218#t=164">https://vimeo.com/123145218#t=164</a>
Source resolution	FullHD
Bitrate	127.235

Compilation of photos and video sequences. Most of the scenes have grain noise.



Figure 19: Chronicle sequence, frame 25

## A.7. City Crowd

Sequence title	City Crowd
Resolution	1920×1080
Number of frames	763
Color space	YV12
Frames per second	30
Source resolution	FullHD
Bitrate	746.496

City street with walking people and approaching tram. Static camera.



Figure 20: City Crowd sequence, frame 30

## A.8. Coffee Beans

Sequence title	Coffee Beans
Resolution	1920×1080
Number of frames	1005
Color space	YV12
Frames per second	24
Source	<a href="https://vimeo.com/205129846">https://vimeo.com/205129846</a>
Source resolution	FullHD
Bitrate	198.561

A walking person is filmed by hand-held camera, then the process of coffee roasting is shown. The camera is moving slowly most of the time. The video contains crossfades.




Figure 21: Coffee Beans sequence, frame 216

## A.9. Color Tune

Sequence title	Color Tune
Resolution	1920×1080
Number of frames	1049
Color space	YV12
Frames per second	25
Source	<a href="https://vimeo.com/87772228#t=118">https://vimeo.com/87772228#t=118</a>
Source resolution	FullHD
Bitrate	113.19

The video shows the same scene filmed by professional digital camera with different color settings.



Figure 22: Color Tune sequence, frame 25

## A.10. Crowd Run

Sequence title	Crowd Run
Resolution	1920×1080
Number of frames	500
Color space	YV12
Frames per second	50
Source resolution	FullHD
Bitrate	1244.16

A crowd of sportsmen runs while the camera slowly moves left and right.



Figure 23: Crowd Run sequence, frame 50

## A.11. Disneyland

Sequence title	Disneyland
Resolution	1920×1080
Number of frames	317
Color space	YV12
Frames per second	24
Source	<a href="https://vimeo.com/152119430">https://vimeo.com/152119430</a>
Source resolution	4K
Bitrate	430.225

Time lapse of disneyland castle located in a park with people. Camera slowly zooms in.



Figure 24: Disneyland sequence, frame 24

## A.12. Fire

Sequence title	Fire
Resolution	1920×1080
Number of frames	601
Color space	YV12
Frames per second	25
Source resolution	FullHD
Bitrate	622.08

Shooting of a bonfire. Initially static camera starts to shake.



Figure 25: Fire sequence, frame 25

### A.13. Forest Dog

Sequence title	Forest Dog
Resolution	1920×1080
Number of frames	976
Color space	YV12
Frames per second	25
Source	<a href="https://vimeo.com/147443541#t=119">https://vimeo.com/147443541#t=119</a>
Source resolution	FullHD
Bitrate	200.535

Macro shooting, the camera slowly changes focus. Then video shows a forest landscape, people and a dog.



Figure 26: Forest Dog sequence, frame 25



## A.14. Fountain

Sequence title	Fountain
Resolution	1920×1080
Number of frames	516
Color space	YV12
Frames per second	25
Source	<a href="https://vimeo.com/92772980">https://vimeo.com/92772980</a>
Source resolution	4K
Bitrate	78.856

Static camera captures people passing by in front of a fountain in a city.



Figure 27: Fountain sequence, frame 25

## A.15. Gilmour

Sequence title	Gilmour
Resolution	1920×1080
Number of frames	957
Color space	YV12
Frames per second	30
Source	<a href="https://vimeo.com/188317665#t=28">https://vimeo.com/188317665#t=28</a>
Source resolution	FullHD
Bitrate	130.928

Slideshow with various transition effects.



Figure 28: Gilmour sequence, frame 25

## A.16. Housing Group

Sequence title	Housing Group
Resolution	1920×1080
Number of frames	1007
Color space	YV12
Frames per second	24
Source	<a href="https://vimeo.com/184904666#t=165">https://vimeo.com/184904666#t=165</a>
Source resolution	FullHD
Bitrate	62.951

Compilation of landscape shots and shots of people talking and walking at both indoor and outdoor locations.



Figure 29: Housing Group sequence, frame 25

## A.17. Infinit

Sequence title	Infinit
Resolution	1920×1080
Number of frames	258
Color space	YV12
Frames per second	25
Source	<a href="https://vimeo.com/180708512">https://vimeo.com/180708512</a>
Source resolution	FullHD
Bitrate	275.398

The camera flies through CG buildings and statues, then video shows a picture of man with CG title on it.



Figure 30: Infinit sequence, frame 25

## A.18. Innershaq

Sequence title	Innershaq
Resolution	1920×1080
Number of frames	1569
Color space	YV12
Frames per second	24
Source	<a href="https://vimeo.com/989385261#t=4">https://vimeo.com/989385261#t=4</a>
Source resolution	FullHD
Bitrate	56.064

Animated cartoon combined with shooted video clips.



Figure 31: Innershaq sequence, frame 25

## A.19. Italian History

Sequence title	Italian History
Resolution	1920×1080
Number of frames	989
Color space	YV12
Frames per second	24
Source	<a href="https://vimeo.com/207945404#t=292">https://vimeo.com/207945404#t=292</a>
Source resolution	FullHD
Bitrate	175.228

City and nature views with an old film stock effects.



Figure 32: Italian History sequence, frame 25

## A.20. Mountain Bike

Sequence title	Mountain Bike
Resolution	1920×1080
Number of frames	1063
Color space	YV12
Frames per second	24
Source	<a href="https://vimeo.com/188799676#t=38">https://vimeo.com/188799676#t=38</a>
Source resolution	FullHD
Bitrate	71.226

The sequence films bikers riding in the forest. Consists of quadcopter shooting, slowmotion and close-up shots.



Figure 33: Mountain Bike sequence, frame 25

## A.21. Real Voters

Sequence title	Real Voters
Resolution	1920×1080
Number of frames	997
Color space	YV12
Frames per second	24
Source	<a href="https://vimeo.com/188681554#t=83">https://vimeo.com/188681554#t=83</a>
Source resolution	FullHD
Bitrate	161.087

The camera films close-ups of women dining and talking at a large table. The video contains frequent camera transitions.



Figure 34: Real Voters sequence, frame 25



## A.22. Road Runner

Sequence title	Road Runner
Resolution	1920×1080
Number of frames	999
Color space	YV12
Frames per second	24
Source	<a href="https://vimeo.com/198635799">https://vimeo.com/198635799</a>
Source resolution	FullHD
Bitrate	118.639

A music video consisting of timelapse, slowmotion, shaking camera and various close-up views of human movements.



Figure 35: Road Runner sequence, frame 25

## A.23. Roseman Bridge

Sequence title	Roseman Bridge
Resolution	1920×1080
Number of frames	2549
Color space	YV12
Frames per second	30
Source	<a href="https://vimeo.com/130709443#t=49">https://vimeo.com/130709443#t=49</a>
Source resolution	4K
Bitrate	59.999

The bridge filmed from the quadcopter. The camera moves slowly in different directions.



Figure 36: Roseman Bridge sequence, frame 25

## A.24. Sea Lions

Sequence title	Sea Lions
Resolution	1920×1080
Number of frames	1293
Color space	YV12
Frames per second	24
Source	<a href="https://vimeo.com/171580634">https://vimeo.com/171580634</a>
Source resolution	4K
Bitrate	268.939

Shots of sea lion pups and water surface with superimposed text.



Figure 37: Sea Lions sequence, frame 96

## A.25. Shakewalk

Sequence title	Shakewalk
Resolution	1920×1080
Number of frames	805
Color space	YV12
Frames per second	25
Source resolution	FullHD
Bitrate	622.08

A man walking in the park and holding camera in front of him and shaking this camera a lot.



Figure 38: Shakewalk sequence, frame 25

## A.26. Sita

Sequence title	Sita
Resolution	1920×1080
Number of frames	1000
Color space	YV12
Frames per second	25
Source resolution	FullHD
Bitrate	622.08

Part of a cartoon movie “Sita sings the blues”. Contains a lot of contrast shapes with hard edges. Scenes contain only monotonous movement.




Figure 39: Sita sequence, frame 25

## A.27. Skiers

Sequence title	Skiers
Resolution	1920×1080
Number of frames	1370
Color space	YV12
Frames per second	60
Source	<a href="https://vimeo.com/202605482#t=152">https://vimeo.com/202605482#t=152</a>
Source resolution	4K
Bitrate	120.597

The sequence shows the group of skiers in mountains shot by head-mounted camera, then the same group is shot by quadcopter.



Figure 40: Skiers sequence, frame 25

## A.28. Steadicam

Sequence title	Steadicam
Resolution	1920×1080
Number of frames	979
Color space	YV12
Frames per second	24
Source	<a href="https://vimeo.com/118449040">https://vimeo.com/118449040</a>
Source resolution	4K
Bitrate	118.699

Interior of a church captured with steadicam.



Figure 41: Steadicam sequence, frame 96

## A.29. Twin Strangers

Sequence title	Twin Strangers
Resolution	1920×1080
Number of frames	1026
Color space	YV12
Frames per second	25
Source	<a href="https://vimeo.com/194961299">https://vimeo.com/194961299</a>
Source resolution	FullHD
Bitrate	128.146

Non-professional videoblog with simple CG and subtitles.



Figure 42: Twin Strangers sequence, frame 25



### A.30. Wedding

Sequence title	Wedding
Resolution	1920×1080
Number of frames	948
Color space	YV12
Frames per second	24
Source	<a href="https://vimeo.com/180841074#t=625">https://vimeo.com/180841074#t=625</a>
Source resolution	FullHD
Bitrate	112.827

Outdoor shooting of a wedding. The camera changes view several times.




Figure 43: Wedding sequence, frame 25

### A.31. Ziguinchor

Sequence title	Ziguinchor
Resolution	1920×1080
Number of frames	994
Color space	YV12
Frames per second	25
Source	<a href="https://vimeo.com/184550115#t=120">https://vimeo.com/184550115#t=120</a>
Source resolution	FullHD
Bitrate	259.92

Indoor and outdoor shooting of people's conversations.



Figure 44: Ziguinchor sequence, frame 25

## B. SEQUENCES SELECTION

In “MSU Video Codecs Comparison 2016” we introduced a new technique for test dataset sequences’ selection. This technique was designed to create dataset containing representative set of sequences that encoders are facing in everyday life. In this report we use the same methodology for video sequences selection, but we have dramatically updated video database from which we sample videos for encoders’ comparison.

We analyzed over 512,000 videos hosted at Vimeo looking for 4K and FullHD videos with high bitrates (50 Mbps was selected as a lower bitrate boundary). This enabled us to find and download, 662 new 4K videos and 1993 new FullHD videos. The bitrate distributions for previous year dataset and updated dataset are shown in Figure 45.




Figure 45: Bitrate distributions for videos dataset

We resized and cropped 4K videos to FullHD resolution to ensure the absence of compression artifacts. All videos were cut at scene change points to samples, with 1000 frames approximate length. Besides 6390 samples from 2655 newly downloaded videos, we also used 2900 samples from “MSU Video Codecs Comparison 2016”. Thus, our samples database for this year consisted of 9290 items.

To evaluate spatial and temporal complexity we encoded all samples using x264 encoder with constant quantization parameter (QP). For all samples temporal and spatial complexity were calculated. We define spatial complexity as average size of I-frame normalized by sample’s uncompressed frame size. Temporal complexity is defined as average size of P-frame divided by average size of I-frame.<sup>1</sup> Distribution of obtained samples compared to samples from previous codec comparison is shown in Figure 46.

<sup>1</sup>C. Chen et. al., “A Subjective Study for the Design of Multi-resolution ABR Video Streams with the VP9 Codec,” 2016.




Figure 46: Distribution of obtained samples

Figure 46 reveals that new samples have similar distribution to samples from “MSU Video Codecs Comparison 2016”. In order to prepare dataset we used the following process.

We divided the video database into 31 clusters with K-Means. To avoid complete update of sequences list, sequences from last year’s FullHD dataset were given 10 times higher weight compared to other sequences. For each cluster we selected the video sequence closest to its center that has a license enabling derivatives and commercial usage. The clusters’ boundaries and chosen sequences are shown at Figure 47.




Figure 47: Segmentation of the samples

At Figure 48 we show correspondence of sequences from prior dataset to newly selected clusters. As can be seen

from the figure, there are some clusters not covered by videos from old dataset.




Figure 48: Segmentation of the samples compared to old dataset

Some of automatically chosen samples contain company names or have another copyright issues, so we replaced that samples with other samples in that clusters with suitable license. Figure 49 illustrates applied adjustments.





Figure 49: Adjustments to test dataset

Figure 50 shows final distribution of sequences in the dataset used in this report.



**Figure 50:** Distribution of sequences in final dataset

New dataset consists of 31 video sequences: 8 videos from old dataset, and 23 new videos from Vimeo. 19 sequences from old dataset were excluded. Average bitrate of all sequences in the final dataset is 272.79 Mbps. “Innershaq” (56 Mbps) and “Roseman Bridge” (60 Mbps) sequences have minimal bitrates, notably both of them have small temporal complexity. The complete list of sequences from new dataset can be found in Appendix A.

## B.1. Dataset for High-Quality Encoders

Some high-quality encoders are very slow. Especially for them we select some of the most representative video sequences from our basic FullHD dataset. For that, we used K-means algorithm. Selected video sequences and clusters are illustrated in Figure 51




Figure 51: Adjustments to test dataset

This dataset consists of 7 video sequences. List of selected video sequences:

1. Coffee Beans (Section A.8)
2. Crowd Run (Section A.10)
3. Disneyland (Section A.11)
4. Forest Dog (Section A.13)
5. Infnit (Section A.17)
6. Mountain Bike (Section A.20)
7. Sea Lions (Section A.24)

Average bitrate of all sequences in the this dataset is 384.15 Mbps. Total length of this dataset is 5412 frames.

## C. CODECS

---

### C.1. AV1

Encoder title	AV1
Version	0.1.0 (Rev. c8b38b0bfd36)
Developed by	AOMedia
Build	<pre>./configure --target=x86_64-win64-vs14 --enable-static-msvcrt --enable-av1 --enable-experimental --enable-loop-restoration --enable-ext-partition &amp;&amp; make &amp;&amp; yasm.exe &amp;&amp; make clean &amp;&amp; make</pre>
Preset name	Encoder parameters
Ripping	<pre>aomenc -o %TARGET_FILE% %SOURCE_FILE% --width=%WIDTH%</pre>
Encoding	<pre>--height=%HEIGHT% --fps=%FPS_NUM%/FPS_DENOM% --codec=av1 --good --cpu-used=0 --threads=0 --profile=0 --lag-in-frames=25 --min-q=0 --max-q=63 --auto-alt-ref=1 --passes=2 --kf-max-dist=150 --kf-min-dist=0 --drop-frame=0 --static-thresh=0 --bias-pct=50 --minsection-pct=0 --maxsection-pct=2000 --arnr-maxframes=7 --arnr-strength=5 --sharpness=0 --undershoot-pct=100 --overshoot-pct=100 --tile-columns=0 --frame-parallel=0 --test-decode=warn -v --psnr --end-usage=vbr --target-bitrate=%BITRATE_KBPS% --limit=%FRAMES_NUM%</pre>

### C.2. Kingsoft HEVC Encoder

Encoder title	Kingsoft HEVC Encoder
Version	Kingsoft Encoder V2.3.3.1
Developed by	Kingsoft
Preset name	Encoder parameters
Ripping	<pre>AppEncoder_x64.exe -i %SOURCE_FILE% -preset placebo -threads 0</pre>
Encoding	<pre>-ltr 1 -qsadapt 1 -wdt %WIDTH% -hgt %HEIGHT% -fr %FPS% -br %BITRATE_KBPS% -b %TARGET_FILE%</pre>



### C.3. nj264

Encoder title	nj264
Version	1.0
Developed by	Nanjing Yunyan
Preset name	Encoder parameters
Ripping	nj264.exe -s %WIDTH%x%HEIGHT% -framerate %FPS% -i %SOURCE_FILE%
Encoding	-c:v libnj264 -preset ripping -nj264-params bitrate=%BITRATE_KBPS% -f h264 -y %TARGET_FILE% 2>log.txt

### C.4. nj265

Encoder title	nj265
Version	1.0
Developed by	Nanjing Yunyan
Preset name	Encoder parameters
Ripping	nj265.exe -s %WIDTH%x%HEIGHT% -framerate %FPS% -i %SOURCE_FILE%
Encoding	-c:v libnj265 -preset ripping -nj265-params bitrate=%BITRATE_KBPS% -f hevc -y %TARGET_FILE%

### C.5. uAVS2

Encoder title	uAVS2
Version	RD 12.0 encoder
Developed by	AVS2 Encoder Team
Preset name	Encoder parameters
Ripping	Ripping\utest_x64.exe -f Ripping\encoder_ra.cfg -p
Encoding	InputFile=%SOURCE_FILE% -p OutputFile=%TARGET_FILE% -p SourceWidth=%WIDTH% -p SourceHeight=%HEIGHT% -p FrameRate=%FPS% -p FramesToBeEncoded=%FRAMES_NUM% -p TargetBitRate=%BITRATE_KBPS%

## C.6. VP9 Video Codec

Encoder title	VP9 Video Codec
Version	v1.6.1-433-g6af42f5
Developed by	The WebM Project
Preset name	Encoder parameters
Ripping	<code>vpxenc.v1.6.1-433-g6af42f5 %SOURCE_FILE% -o %TARGET_FILE%</code>
Encoding	<code>--codec=vp9 --good -p 2 --target-bitrate=%BITRATE_KBPS% --profile=0 --lag-in-frames=25 --min-q=0 --max-q=63 --auto-alt-ref=1 --passes=2 --kf-max-dist=9999 --kf-min-dist=0 --drop-frame=0 --static-thresh=0 --bias-pct=50 --minsection-pct=0 --maxsection-pct=2000 --arnr-maxframes=7 --arnr-strength=5 --sharpness=0 --undershoot-pct=100 --overshoot-pct=100 --frame-parallel=0 --row-mt=1 --width=%WIDTH% --height=%HEIGHT% --tile-columns --cpu-used=1 --threads=8</code>

## C.7. x264

Encoder title	x264
Version	r2833 df79067
Developed by	x264 Developer Team
Preset name	Encoder parameters
Ripping	<code>x264 --preset placebo --me umh --merange 32 --keyint infinite</code>
Encoding	<code>--tune ssim --pass 1 --bitrate %BITRATE_KBPS% %SOURCE_FILE% --input-res %WIDTH%x%HEIGHT% --fps %FPS% -o NUL x264 --preset placebo --me umh --merange 32 --keyint infinite --tune ssim --pass 2 --bitrate %BITRATE_KBPS% %SOURCE_FILE% --input-res %WIDTH%x%HEIGHT% --fps %FPS% -o %TARGET_FILE%</code>
Veryslow (2 pass)	<code>x264 --tune ssim --preset veryslow --keyint infinite --tune ssim --pass 1 --bitrate %BITRATE_KBPS% %SOURCE_FILE% -o %TARGET_FILE% --input-res %WIDTH%x%HEIGHT% --fps %FPS% x264 --tune ssim --preset veryslow --keyint infinite --tune ssim --pass 2 --bitrate %BITRATE_KBPS% %SOURCE_FILE% -o %TARGET_FILE% --input-res %WIDTH%x%HEIGHT% --fps %FPS%</code>

## C.8. x265

Encoder title	x265
Version	1.9+169-e5b5bdc3c154
Developed by	MulticoreWare, Inc.
Preset name	Encoder parameters
Ripping	x265_64-8bit[gcc] -p veryslow --tune ssim --bitrate
Encoding	%BITRATE_KBPS% --ssim %SOURCE_FILE% -o %TARGET_FILE% --input-res %WIDTH%x%HEIGHT% --fps %FPS%
Placebo (2 pass)	x265_64-8bit[gcc] --preset placebo --tune ssim --keyint -1 --tune ssim --pass 1 --bitrate %BITRATE_KBPS% %SOURCE_FILE% -o %TARGET_FILE% --input-res %WIDTH%x%HEIGHT% --fps %FPS% x265_64-8bit[gcc] --preset placebo --tune ssim --keyint -1 --tune ssim --pass 2 --bitrate %BITRATE_KBPS% %SOURCE_FILE% -o %TARGET_FILE% --input-res %WIDTH%x%HEIGHT% --fps %FPS%
Placebo (3 pass)	x265_64-8bit[gcc] --preset placebo --tune ssim --keyint -1 --tune ssim --pass 1 --bitrate %BITRATE_KBPS% %SOURCE_FILE% -o %TARGET_FILE% --input-res %WIDTH%x%HEIGHT% --fps %FPS% x265_64-8bit[gcc] --preset placebo --tune ssim --keyint -1 --tune ssim --pass 3 --bitrate %BITRATE_KBPS% %SOURCE_FILE% -o %TARGET_FILE% --input-res %WIDTH%x%HEIGHT% --fps %FPS% x265_64-8bit[gcc] --preset placebo --tune ssim --keyint -1 --tune ssim --pass 2 --bitrate %BITRATE_KBPS% %SOURCE_FILE% -o %TARGET_FILE% --input-res %WIDTH%x%HEIGHT% --fps %FPS%
Veryslow (2 pass)	x265_64-8bit[gcc] --preset veryslow --tune ssim --keyint -1 --tune ssim --pass 1 --bitrate %BITRATE_KBPS% %SOURCE_FILE% -o %TARGET_FILE% --input-res %WIDTH%x%HEIGHT% --fps %FPS% x265_64-8bit[gcc] --preset veryslow --tune ssim --keyint -1 --tune ssim --pass 2 --bitrate %BITRATE_KBPS% %SOURCE_FILE% -o %TARGET_FILE% --input-res %WIDTH%x%HEIGHT% --fps %FPS%

## D. FIGURES EXPLANATION

---

The main charts in this comparison are classical RD curves (quality/bitrate graphs) and relative bitrate/relative time charts. Additionally, bitrate handling charts (ratio of real and target bitrates) and per-frame quality charts were also used.

### D.1. RD Curves

These charts show variation in codec quality by bitrate or file size. For this metric, a higher curve presumably indicates better quality.

### D.2. Relative Bitrate/Relative Time Charts

Relative bitrate/relative time charts show the dependence on relative encoding time of the average bitrate for a fixed quality output. The Y-axis shows the ratio of the bitrate of the codec under test to that of the reference codec for a fixed quality. A lower value (that is, the higher the value is on the graph) indicates a better-performing codec. For example, a value of 0.7 means that codec under test can encode the sequence under test in a file that is 30% smaller than that encoded by the reference codec.

The X-axis shows the relative encoding time for the codec under test. Larger values indicate a slower codec. For example, a value of 2.5 means that the codec under test works 2.5 times slower, on average, than the reference codec.

### D.3. Graph Example

Figure 52 shows a case where these graphs can be useful. In the top left graph, it is apparent that the “Green” codec encodes with significantly better quality than the “Black” codec. On the other hand, the top right graph shows that the “Green” codec is slightly slower. Relative bitrate/relative time graphs can be useful in precisely these situations: it is clearly visible in the bottom graph that one of the codecs is slower, but yields higher visual quality, and that the other codec is faster, but yields lower visual quality.


As a result of these advantages, relative bitrate/relative time graphs are used frequently in this report since they assist in the evaluation of the codecs in the test set, especially when number of codecs is large.

A more detailed description of the preparation of these graphs is given below.


### D.4. Bitrates Ratio with the Same Quality

The first step in computing the average bitrate ratio for a fixed quality is inversion of the axes of the bitrate/quality graph (see Figure 53b). All further computations are performed using the inverted graph.


The second step involves averaging the interval over which the quality axis is chosen. Averaging is performed only over those segments for which there are results for both codecs. This limitation is due to the difficulty of



(a) RD curve. "Green" codec is better!



(b) Encoding speed (frames per second). "Green" codec is slower!



(c) Integral situation with codecs. This plot shows the situation more clearly

Figure 52: Speed/Quality trade-off example




Figure 53: Average bitrate ratio computation

developing extrapolation methods for classic RD curves; nevertheless, for interpolation of RD curves, even linear methods are acceptable.

The final step is calculation of the area under the curves in the chosen interpolation segment and determination of their ratio (see Figure 53c). This result is an average bitrate ratio for a fixed quality for the two codecs. If more than two codecs are considered, then one of them is defined as a reference codec and the quality of others is compared to that of the reference.

## D.5. Relative Quality Analysis

While most figures in this report provide codec scores relative to reference encoder (i.e. x264) the “Relative Quality Analysis” sections show bitrate ratio with fixed quality (see Section D.4) score for each codec pair. This might be useful if one is interested in comparison of codec A relative to codec B only.

Below we show simplified example of “Average bitrate ratio for a fixed quality” table for two codecs only:

	A	B
A	100% 😊	75% 😞
B	134% 😞	100% 😊



**Table 4:** Example of average bitrate ratio for a fixed quality table

Let's consider column "B" row "A" of the table containing value 75% this should be read in the following way: average bitrate for a fixed quality of codec B is 75% less relative to codec A. The icon in the cell depicts confidence of this estimate. If projections of codecs' RD curves on quality axis (see Figure 53) have relatively large common area you will see happy icon. If size of this intersection is small and thus bitrate score can't be computed reliably the sad icon will be shown.

"Average bitrate ratio for a fixed quality" plots are visualizations of these tables. Each line in such plot depicts values from one column of corresponding table.

## E. OBJECTIVE QUALITY METRICS DESCRIPTION

### E.1. SSIM (Structural SIMilarity)

YUV-SSIM objective quality metric was used in this report to assess quality of encoded video sequences. We compute YUV-SSIM as weighed average of SSIM values computed for each channel individually (Y-SSIM, U-SSIM, V-SSIM):

$$\text{YUV-SSIM} = \frac{4 \text{Y-SSIM} + \text{U-SSIM} + \text{V-SSIM}}{6}. \quad (1)$$

Brief description of SSIM metric computation is given below.

#### E.1.1. Brief Description

The original paper on the SSIM metric was published by Wang, et al.<sup>2</sup> The paper can be found at <http://ieeexplore.ieee.org/ie15/83/28667/01284395.pdf>. The SSIM author homepage is found at <http://www.cns.nyu.edu/~lcv/ssim/>

The scheme of SSIM calculation can be presented as follows. The main idea that underlies the structural similarity (SSIM) index is comparison of the distortion of three image components:

- Luminance
- Contrast
- Structure

The final formula, after combining these comparisons, is the following:

$$\text{SSIM}(x, y) = \frac{(2\mu_x\mu_y + C_1)(2\sigma_{xy} + C_2)}{(\mu_x + \mu_y + C_1)(\sigma_x + \sigma_y + C_2)}, \quad (2)$$

where

$$\mu_x = \sum_{i=1}^N \omega_i x_i, \quad (3)$$

$$\sigma_x = \sqrt{\sum_{i=1}^N \omega_i (x_i - \mu_x)^2}, \quad (4)$$

$$\sigma_{xy} = \sum_{i=1}^N \omega_i (x_i - \mu_x)(y_i - \mu_y). \quad (5)$$

Finally,  $C_1 = (K_1 L)^2$  and  $C_2 = (K_2 L)^2$ , where  $L$  is the dynamic range of the pixel values (e.g. 255 for 8-bit grayscale images), and  $K_1, K_2 \ll 1$ .

The values  $K_1 = 0.01$  and  $K_2 = 0.03$  were used for the comparison presented in this report, and the matrix filled with a value "1" in each position to form a filter for the result map.

<sup>2</sup>Zhou Wang, Alan Conrad Bovik, Hamid Rahim Sheikh and Eero P. Simoncelli, "Image Quality Assessment: From Error Visibility to Structural Similarity," IEEE Transactions on Image Processing, Vol. 13, No. 4, April 2004.



For the implementation used in this comparison, one SSIM value corresponds to two sequences. The value is in the range  $[-1, 1]$ , with higher values being more desirable (a value of 1 corresponds to identical frames). One of the advantages of the SSIM metric is that it better represents human visual perception than does PSNR. SSIM is more complex, however, and takes more time to calculate.

### E.1.2. Examples

Figure 54 shows the example of an SSIM result for an original and processed (compressed with lossy compression) image. The resulting value of 0.9 demonstrates that the two images are very similar.




Figure 54: SSIM example for compressed image

Figure 55 depicts various distortions applied to original image and Figure 56 shows SSIM values for these distortions.



(a) Original image



(b) Image with added noise



(c) Blurred image



(d) Sharpen image

Figure 55: Examples of processed images



(a) SSIM map for original image,  
SSIM = 1



(b) SSIM map for noisy image,  
SSIM = 0.552119



(c) SSIM map for blurred image,  
SSIM = 0.9225



(d) SSIM map for sharpened image,  
SSIM = 0.958917

Figure 56: SSIM values for original and processed images

## F. ABOUT THE GRAPHICS & MEDIA LAB VIDEO GROUP

---



The Graphics & Media Lab Video Group is part of the Computer Science Department of Moscow State University. The Graphics Group began at the end of 1980's, and the Graphics & Media Lab was officially founded in 1998. The main research avenues of the lab include areas of computer graphics, computer vision and media processing (audio, image and video). A number of patents have been acquired based on the lab's research, and other results have been presented in various publications.

The main research avenues of the Graphics & Media Lab Video Group are video processing (pre- and post-, as well as video analysis filters) and video compression (codec testing and tuning, quality metric research and codec development).

The main achievements of the Video Group in the area of video processing include:

- High-quality industrial filters for format conversion, including high-quality deinterlacing, high-quality frame rate conversion, new, fast practical super resolution and other processing tools.
- Methods for modern television sets, such as a large family of up-sampling methods, smart brightness and contrast control, smart sharpening and more.
- Artifact removal methods, including a family of denoising methods, flicking removal, video stabilization with frame edge restoration, and scratch, spot and drop-out removal.
- Application-specific methods such as subtitle removal, construction of panorama images from video, video to high-quality photo conversion, video watermarking, video segmentation and practical fast video deblur.

The main achievements of the Video Group in the area of video compression include:

- Well-known public comparisons of JPEG, JPEG-2000 and MPEG-2 decoders, as well as MPEG-4 and annual H.264 codec testing; codec testing for weak and strong points, along with bug reports and codec tuning recommendations.
- Video quality metric research; the MSU Video Quality Measurement Tool and MSU Perceptual Video Quality Tool are publicly available.
- Internal research and contracts for modern video compression and publication of MSU Lossless Video Codec and MSU Screen Capture Video Codec; these codecs have one of the highest available compression ratios.

The Video Group has also worked for many years with companies like Intel, Samsung and RealNetworks.

In addition, the Video Group is continually seeking collaboration with other companies in the areas of video processing and video compression.

E-mail: [video@graphics.cs.msu.ru](mailto:video@graphics.cs.msu.ru)

